

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	345	430/110.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/10 08:02
L2	493	430/110.3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/10 08:02
L3	555	430/110.4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/10 08:02
L4	1374	430/109.4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/10 08:02
S1	43380	toner same magnet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/05/23 14:48
S2	2043	S1 and (specific gravity or "g/cm.sup.3")	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/05/23 14:48
S3	1439	S1 and (specific gravity)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/05/23 14:48
S4	292	S2 and (((saturat\$4 (magnet\$4 or magnetization)) or "Am.sup.2/kg") same (magnetic field or "kA/m"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/05/23 14:50
S5	62	S4 and circularity	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/05/23 14:51
S6	66	S1 and (dielectric loss tangent or "tan. delta.")	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/05/23 14:51
S7	5	S5 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/05/23 14:52
S8	13803	430/105-116.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/04 14:20

EAST Search History

S9	43465	toner same magnet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/04 14:21
S10	66	S9 and (dielectric loss tangent or "tan. delta.")	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/04 14:21
S11	27	S8 and S10	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/04 14:21
S12	1	("6063537").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/05 09:49
S13	1	S12 and hous\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/05 09:49
S14	7	toner and (dielectric constant same (pF/m))	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/05 12:14
S15	3870	toner and (dielectric constant or (pF/m))	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/05 12:15
S16	7	toner and (dielectric constant and (pF/m))	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/05 12:15
S19	0	("200344708").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/05 13:34
S20	0	("2003044708").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/05 13:34
S21	1	("20030044708").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/05 13:35
S22	1	("20030044708").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/06 08:49
S23	1	S22 and low molecular	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/06 08:49

EAST Search History

S24	1	S22 and (dielectric loss tangent or tandelta or "tan.delta.")	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/06 09:34
S25	2	WO-2004038512-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/06 09:51
S26	1	S22 and (glass transition or Tg)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/06 10:35
S27	0	toner and (specific gravity with "g.cm.sup. 3")	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/06 11:50
S28	338	toner and (specific gravity with "g/cm.sup. 3")	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/06 11:51
S29	13812	430/105-116.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/06 11:51
S30	123	S28 and S29	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/06 11:51
S31	3870	toner and (dielectric constant)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/06 13:25
S32	7	S31 and (pF/m)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/06 13:26
S33	0	("2003035603").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/06 13:35
S34	1	("20030035603").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/06 13:35
S35	0	S34 and dielectric constant	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/06 13:35
S36	0	S34 and pF/m	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/06 13:35

EAST Search History

S37	0	S34 and inductive capacity	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/06 13:36
S38	0	("200335603").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/06 13:37
S39	1	("20030035603").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/06 13:37
S40	2	((("4756993") or ("20040126685"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/06 14:59
S41	0	("200335603").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/09 07:37
S42	0	("2003035603").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/09 07:38
S43	1	("20070072102").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/09 07:43
S44	1	S43 and dielectric constant	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/09 07:44
S45	3870	toner and (dielectric constant)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/09 07:55
S46	13812	430/105-116.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/09 07:55
S47	769	S45 and S46	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/09 07:55
S48	20	S47 and (dielectric constant same "kHz")	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/09 07:58
S49	1	S43 and (pF/m)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/09 08:03
S50	2	S47 and (pF/m)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/09 08:12

EAST Search History

S51	3	toner and (pF/cm)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/09 08:25
S52	0	("I3anddielectricconstant").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/09 08:30
S53	1	S43 and dielectric constant	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/09 08:31
S54	0	S43 and dielectric constant and F/m	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/09 08:33
S55	43	toner and dielectric constant and F/m	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/09 08:33
S56	10152	430/105-110.4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/09 08:41
S57	246	S47 and S56	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/09 08:41
S58	246	S45 and S56	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/09 08:41
S59	366	toner and (dielectric constant same (surface additive or inorganic particle or inorganic fine particle or fine particle or silica or silicone oxide or silicone dioxide or titania or titanium dioxide or alumina or aluminum oxide or flow agent or flowability))	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/09 12:38
S60	10152	430/105-110.4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/09 12:39
S61	43	S59 and S60	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/06/09 12:39